MATERION

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of the substance Bismuth Zirconate Powder **Identification number** 253-454-9 (EC number)

Registration number **Document number** 1DY **Synonyms** None. **Materion Code** 1DY

Issue date 09-May-2015 10-January-2018 **Revision date**

1.3. Details of the supplier of the safety data sheet

Supplier

Company name Materion Advanced Chemicals Inc.

Address 407 N. 13th Street

> 1316 W. St. Paul Avenue Milwaukee, WI 53233

United States

Division Milwaukee **Telephone** 414.212.0257

e-mail advancedmaterials@materion.com

Contact person Laura Hamilton

1.4. Emergency telephone

number

Supersedes date 09-May-2015

Version number

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Not available. Uses advised against None known.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The substance has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

This substance does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended

Hazard summary Not available.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Bismuth Zirconate **Contains:**

Hazard pictograms None. Signal word None.

Hazard statements The substance does not meet the criteria for classification.

Precautionary statements

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Supplemental label

information

None.

2.3. Other hazards None known.

Material name: Bismuth Zirconate Powder

SECTION 3: Composition/information on ingredients

3.1. Substances

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Bismuth Zirconate	90 - 100	37306-42-6 253-454-9	-	-	
Classification:	-				

List of abbreviations and symbols that may be used above

CLP: Regulation No. 1272/2008. DSD: Directive 67/548/EEC.

M: M-factor

vPvB: very persistent and very bioaccumulative substance. PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Community workplace exposure limit(s).

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur. 4.2. Most important Direct contact with eyes may cause temporary irritation.

symptoms and effects, both

acute and delayed

4.3. Indication of any immediate medical attention

and special treatment

needed

Treat symptomatically.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or

mixture

During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special firefighting

procedures

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Keep unnecessary personnel away.

For emergency responders

Keep unnecessary personnel away.

6.2. Environmental

Avoid discharge into drains, water courses or onto the ground.

precautions

6.3. Methods and material for Stop the flow of material, if this is without risk. Following product recovery, flush area with water. containment and cleaning up

Material name: Bismuth Zirconate Powder

6.4. Reference to other sections

Not available.

SECTION 7: Handling and storage

7.1. Precautions for safe

handling

Avoid prolonged exposure. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in original tightly closed container.

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Austria. MAK List, OEL Ordinan Material	се (Gwv), всы. 11, по. 184/2 Туре	Value	Form
Bismuth Zirconate (CAS 37306-42-6)	MAK	5 mg/m3	Inhalable fraction.
Belgium. Exposure Limit Value			
Material	Туре	Value	
Bismuth Zirconate (CAS 37306-42-6)	STEL	10 mg/m3	
	TWA	5 mg/m3	
Croatia. Dangerous Substance	Exposure Limit Values in the	Workplace (ELVs), Annexe	s 1 and 2, Narodne Novino
13/09 Material	Туре	Value	
Bismuth Zirconate (CAS 37306-42-6)	MAC	5 mg/m3	
	STEL	10 mg/m3	
Cyprus. OELs. Control of factor	y atmosphere and dangerous	substances in factories reg	gulation, PI 311/73, as
amended.	-		-
Material	Туре	Value	
Bismuth Zirconate (CAS 37306-42-6)	TWA	5 mg/m3	
Denmark. Exposure Limit Value	es		
Material	Туре	Value	
Bismuth Zirconate (CAS 37306-42-6)	TLV	5 mg/m3	
Finland. Workplace Exposure L	imits		
Material	Туре	Value	
Bismuth Zirconate (CAS 37306-42-6)	TWA	1 mg/m3	
Germany. TRGS 900, Limit Valu		=	_
Material	Туре	Value	Form
Bismuth Zirconate (CAS 37306-42-6)	AGW	1 mg/m3	Inhalable fraction.
Greece. OELs (Decree No. 90/1			
Material	Туре	Value	
Bismuth Zirconate (CAS 37306-42-6)	STEL	10 mg/m3	
	TWA	5 mg/m3	
Hungary. OELs. Joint Decree or Material	n Chemical Safety of Workpla Type	ces Value	
Bismuth Zirconate (CAS 37306-42-6)	STEL	20 mg/m3	
,	TWA	5 mg/m3	

Material name: Bismuth Zirconate Powder

SDS EU 1DY Version #: 02 Revision date: 10-January-2018 Issue date: 09-May-2015

	Type				
Bismuth Zirconate (CAS 37306-42-6)	TWA	5 mg/m3			
Ireland. Occupational Exposure Material	Limits Type	Value	Value		
Bismuth Zirconate (CAS 37306-42-6)	STEL	10 mg/m3			
	TWA	5 mg/m3			
Italy. Occupational Exposure Lii Material	nits Type	Value			
Bismuth Zirconate (CAS 37306-42-6)	STEL	10 mg/m3			
·	TWA	5 mg/m3			
Norway. Administrative Norms f Material	for Contaminants in the Wor Type	kplace Value			
Bismuth Zirconate (CAS 37306-42-6)	TLV	5 mg/m3			
Ordinance of the Minister of Lab and intensities of harmful healt					
Material	Туре	Value			
Bismuth Zirconate (CAS 37306-42-6)	STEL	10 mg/m3			
	TWA	5 mg/m3			
Portugal. VLEs. Norm on occupa Material	tional exposure to chemical Type	agents (NP 1796) Value			
Bismuth Zirconate (CAS B7306-42-6)	STEL	10 mg/m3			
	TWA	5 mg/m3			
Romania. OELs. Protection of wo Material	orkers from exposure to che Type	mical agents at the workpl Value	ace		
Bismuth Zirconate (CAS 37306-42-6)	STEL	10 mg/m3			
	TWA	5 mg/m3			
Slovakia. OELs. Regulation No. 3 Material	300/2007 concerning protec Type	tion of health in work with Value	chemical agents		
Bismuth Zirconate (CAS 37306-42-6)	TWA	1 mg/m3			
Slovenia. OELs. Regulations con working (Official Gazette of the		rs against risks due to expo	osure to chemicals while		
Material	Туре	Value	Form		
Bismuth Zirconate (CAS B7306-42-6)	TWA	1 mg/m3	Inhalable dust.		
Spain. Occupational Exposure Li Material	imits Type	Value			
Bismuth Zirconate (CAS 37306-42-6)	STEL	10 mg/m3			
	TWA	5 mg/m3			
Switzerland. SUVA Grenzwerte a Material	am Arbeitsplatz Type	Value	Form		
Bismuth Zirconate (CAS 37306-42-6)	TWA	5 mg/m3	Inhalable dust.		

Material name: Bismuth Zirconate Powder

SDS EU 1DY Version #: 02 Revision date: 10-January-2018 Issue date: 09-May-2015

UK. EH40 Workplace Exposure Limits (WELs) Material Type

Bismuth Zirconate (CAS **STEL** 10 mg/m3

37306-42-6)

TWA 5 mg/m3

No biological exposure limits noted for the ingredient(s). **Biological limit values**

Recommended monitoring procedures

Follow standard monitoring procedures.

Derived no effect levels

(DNELs)

Not available.

Predicted no effect concentrations (PNECs)

Not available.

8.2. Exposure controls

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Value

Individual protection measures, such as personal protective equipment

General information Personal protection equipment should be chosen according to the CEN standards and in discussion

with the supplier of the personal protective equipment.

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

- Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

- Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material and

before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to

remove contaminants.

Environmental exposure

controls

Environmental manager must be informed of all major releases.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state Solid.

Form Solid. Powder. Colour Not available. **Odour** Not available. **Odour threshold** Not available. Not available. Melting point/freezing point Not available. Not available. Initial boiling point and

boiling range

Flash point Not available. Not available. **Evaporation rate**

Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits

Flammability limit - lower Not available.

(%)

Flammability limit -Not available.

upper (%)

Vapour pressure

Not available. Not available. Vapour density **Relative density** Not available.

Material name: Bismuth Zirconate Powder SDS FU Solubility(ies)

Not available. Solubility (water) **Partition coefficient** Not available.

(n-octanol/water)

Auto-ignition temperature Not available. **Decomposition temperature** Not available. Not available. Viscosity Not explosive. **Explosive properties Oxidising properties** Not oxidising.

9.2. Other information

Molecular formula Bi4O12Zr3

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Contact with incompatible materials.

10.5. Incompatible materials Strong oxidising agents.

No hazardous decomposition products are known. 10.6. Hazardous

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact No adverse effects due to skin contact are expected. Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Symptoms Exposure may cause temporary irritation, redness, or discomfort.

11.1. Information on toxicological effects

Acute toxicity No data available.

Skin corrosion/irritation Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible. Serious eye damage/eye

irritation

Respiratory sensitisation Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible. Skin sensitisation Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible. Carcinogenicity Due to partial or complete lack of data the classification is not possible.

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.

Reproductive toxicity Due to partial or complete lack of data the classification is not possible. Specific target organ toxicity Due to partial or complete lack of data the classification is not possible.

- single exposure

Aspiration hazard

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity

- repeated exposure

Due to partial or complete lack of data the classification is not possible.

Mixture versus substance

information

No information available.

Other information Not available.

SECTION 12: Ecological information

Material name: Bismuth Zirconate Powder

The product is not classified as environmentally hazardous. However, this does not exclude the 12.1. Toxicity possibility that large or frequent spills can have a harmful or damaging effect on the environment.

12.2. Persistence and

degradability

No data is available on the degradability of this product.

12.3. Bioaccumulative

potential

No data available.

Partition coefficient

n-octanol/water (log Kow)

Not available.

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil No data available.

12.5. Results of PBT and

vPvB assessment

Not a PBT or vPvB substance or mixture.

12.6. Other adverse effectsNo other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some product

residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste codeThe Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

methods/information

Special precautions Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

ADN

14.1. - 14.6.: Not regulated as dangerous goods.

IATA

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Material name: Bismuth Zirconate Powder

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Other EU regulations

Other regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.

The product is classified and labelled in accordance with EC directives or respective national laws

National regulations Follow national regulation for work with chemical agents.

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations Not available. References Not available.

Training information Follow training instructions when handling this material.

Disclaimer

Materion Advanced Chemicals Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.

This document has been prepared using data from sources considered to be technically reliable and the information is believed to be correct. Materion makes no warranties, expressed or implied, as to the accuracy of the information contained herein. Materion cannot anticipate all conditions under which this information and its products may be used and the actual conditions of use are beyond its control. The user is responsible to evaluate all available information when using this product for any

particular use and to comply with all Federal, State, Provincial and Local laws, statutes and

regulations.

SDS FU