# MATERION

### **SAFETY DATA SHEET**

Version #: 03

Issue date: 10-June-2016 Revision date: 09-April-2024 Supersedes date: 12-January-2018

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

Registration number

**Synonyms** None. **Materion Code** 1TH

1.1. Product identifier

**Trade name or** ZrO2-SiO2

designation of the mixture

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified usesNot available.Uses advised againstNone known.

### 1.3. Details of the supplier of the safety data sheet

**Supplier** 

**Company name** Materion Electronic Materials

**Address** 6070 Parkland Blvd

Mayfield Heights, OH 44124

**United States** 

**Division** 

**Telephone** 1.216.383.4019

**e-mail** Materion-PS@materion.com **Contact person** Product Stewardship Director

1.4. Emergency telephone

number

**Document number** 1TH

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

### Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

### 2.2. Label elements

### Label according to Regulation (EC) No. 1272/2008 as amended

**Contains:** Silicon dioxide

Hazard pictograms None.

Signal word None.

**Hazard statements** The mixture does not meet the criteria for classification.

**Precautionary statements** 

**Prevention** Observe good industrial hygiene practices.

**Response** Wash hands after handling.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

Supplemental label

information

For further information, please contact the Product Stewardship Department at +1.800.862.4118.

**2.3. Other hazards** This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC)

No 1907/2006, Annex XIII. The mixture does not contain any substances included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties at a

concentration equal to or greater than 0.1% by weight.

Material name: ZrO2-SiO2 SDS EU

### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Silicon dioxide	5 - 15	60676-86-0	-	-	
		-			
Classif	ication: -				

### List of abbreviations and symbols that may be used above

ATE: Acute toxicity estimate.

Other components below reportable

M: M-factor

vPvB: very persistent and very bioaccumulative substance. PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

### **SECTION 4: First aid measures**

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

85 - 95

4.1. Description of first aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur. 4.2. Most important Direct contact with eyes may cause temporary irritation.

symptoms and effects, both

acute and delayed

4.3. Indication of any

immediate medical attention and special treatment

needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

**General fire hazards** No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or

mixture

During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special firefighting

procedures

Move containers from fire area if you can do so without risk.

**Specific methods** Use standard firefighting procedures and consider the hazards of other involved materials.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

Wear appropriate personal protective equipment.

personnel

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

responders 6.2. Environmental

For emergency

Avoid discharge into drains, water courses or onto the ground.

precautions

Material name: ZrO2-SiO2 SDS FU 2 / 10

6.3. Methods and material for containment and cleaning up

Stop the flow of material, if this is without risk. Following product recovery, flush area with water.

6.4. Reference to other

sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13.

### **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Avoid prolonged exposure. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the

SDS).

7.3. Specific end use(s) Observe industrial sector guidance on best practices.

### SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

### **Occupational exposure limits**

Austria. MAK List, OEL Ordinance (GwV), BGBl. II, no. 184/2001, as amended				
Components	Туре	Value	Form	
RM Zirconium oxide (CAS 1314-23-4)	MAK	5 mg/m3	Inhalable fraction.	

### Belgium. OEL. Exposure Limit Values to Chemical Substances at Work, Code of Well-being at work, Book VI, Title 1

- Chemical agents, as amended

Components	Туре	Value	
RM Zirconium oxide (CAS 1314-23-4)	STEL	10 mg/m3	
	TWA	5 mg/m3	

### Croatia. OELs (GVI). Regulation on Protection of Workers against Exposure to Dangerous Chemicals at Work, OELs and Biological Limit Values, Annex I (NN 91/2018), as amended

Components	Туре	Value	
RM Zirconium oxide (CAS 1314-23-4)	MAC	5 mg/m3	_
	STEL	10 mg/m3	

### Cyprus. OELs. Control of factory atmosphere and dangerous substances in factories regulation, PI 311/73, as amended

Components	Туре	Value
RM Zirconium oxide (CAS	TWA	5 mg/m3
1314-23-4)		

#### Denmark. Work Environment Authority. Exposure Limits for Substances & Materials, Annex 2 Components **Value Type**

	• •	
RM Zirconium oxide (CAS	TLV	5 mg/m3
1314-23-4)		

#### Finland. HTP-arvot, App 3., Binding Limit Values, Social Affairs and Ministry of Health **Type Value** Components

RM Zirconium oxide (CAS	TWA	1 mg/m3
1314-23-4)		

### Germany. TRGS 900, Limit Values in the Ambient Air at the Workplace

Components	Туре	Value	Form
RM Zirconium oxide (CAS	AGW	1 mg/m3	Inhalable fraction.
1314-23-4)			

Components	ree No. 307/1986, as amendo Type	ed Value	
RM Zirconium oxide (CAS 1314-23-4)	STEL	10 mg/m3	
	TWA	5 mg/m3	

Material name: ZrO2-SiO2 SDS EU

Components	Туре	Value	
RM Zirconium oxide (CAS 1314-23-4)	STEL	20 mg/m3	
	TWA	5 mg/m3	
celand. OELs. Regulation 390/	2009 on Pollution Limits and	Measures to Reduce Pollution at the Workpl	ace, as
Components	Туре	Value	
RM Zirconium oxide (CAS 1314-23-4)	TWA	5 mg/m3	
reland. OELVs, Schedules 1 & 2 Components	2, Code of Practice for Chemi Type	cal Agents and Carcinogens Regulations Value	
RM Zirconium oxide (CAS I314-23-4)	STEL	10 mg/m3	
311 23 1)	TWA	5 mg/m3	
taly. OELs (Legislative Decree			
Components	Туре	Value	
RM Zirconium oxide (CAS .314-23-4)	STEL	10 mg/m3	
	TWA	5 mg/m3	
		emical Substances (Hygiene Norm HN 23:201	1; Order
No. V-824/A1-389), as amende Components	a Type	Value	
omponents		1 414.0	
RM Zirconium oxide (CAS 1314-23-4)	TWA	6 mg/m3	
RM Zirconium oxide (CAS 1314-23-4) Norway. Regulation No. 1358 o Environment and Infection Gro	TWA  n Measures and Limit Values ups for Biological Factors, as	6 mg/m3  for Physical and Chemical Factors in Work amended	
RM Zirconium oxide (CAS 1314-23-4) Norway. Regulation No. 1358 o Environment and Infection Gro Components	TWA n Measures and Limit Values	6 mg/m3  for Physical and Chemical Factors in Work	
RM Zirconium oxide (CAS 1314-23-4)  Norway. Regulation No. 1358 of Environment and Infection Grouponents  RM Zirconium oxide (CAS 1314-23-4)	TWA  n Measures and Limit Values ups for Biological Factors, as Type  TLV	6 mg/m3  for Physical and Chemical Factors in Work amended  Value  5 mg/m3	
RM Zirconium oxide (CAS 1314-23-4)  Norway. Regulation No. 1358 of Environment and Infection Grouponents  RM Zirconium oxide (CAS 1314-23-4)  Poland. Maximum permissible of the control of the control oxide (CAS 1314-23-4)	TWA  n Measures and Limit Values ups for Biological Factors, as Type  TLV  concentrations and intensitie	6 mg/m3  for Physical and Chemical Factors in Work amended  Value	
NM Zirconium oxide (CAS 1314-23-4) Norway. Regulation No. 1358 of Environment and Infection Group Components RM Zirconium oxide (CAS 1314-23-4) Poland. Maximum permissible of Dz.U.Poz. 1286/2018, Annex 1	TWA  n Measures and Limit Values ups for Biological Factors, as Type  TLV  concentrations and intensitie	6 mg/m3  for Physical and Chemical Factors in Work amended  Value  5 mg/m3	
RM Zirconium oxide (CAS	TWA  n Measures and Limit Values ups for Biological Factors, as Type  TLV  concentrations and intensities	6 mg/m3  for Physical and Chemical Factors in Work amended  Value  5 mg/m3  s of harmful factors in the work environment	
RM Zirconium oxide (CAS 1314-23-4)  Norway. Regulation No. 1358 of Environment and Infection Grouponents  RM Zirconium oxide (CAS 1314-23-4)  Poland. Maximum permissible of (Dz.U.Poz. 1286/2018, Annex 1 Components  RM Zirconium oxide (CAS	TWA  TWA  n Measures and Limit Values ups for Biological Factors, as Type  TLV  concentrations and intensitie ) Type	6 mg/m3  for Physical and Chemical Factors in Work amended  Value  5 mg/m3  s of harmful factors in the work environment  Value	
RM Zirconium oxide (CAS 1314-23-4)  Norway. Regulation No. 1358 of Environment and Infection Group Components  RM Zirconium oxide (CAS 1314-23-4)  Poland. Maximum permissible of (Dz.U.Poz. 1286/2018, Annex 1 Components  RM Zirconium oxide (CAS 1314-23-4)  Portugal. VLEs. Norm on occupa	TWA  n Measures and Limit Values ups for Biological Factors, as Type  TLV  concentrations and intensitie ) Type  STEL  TWA	for Physical and Chemical Factors in Work amended  Value  5 mg/m3  s of harmful factors in the work environment  Value  10 mg/m3  5 mg/m3	
RM Zirconium oxide (CAS L314-23-4)  Norway. Regulation No. 1358 of Environment and Infection Grouponents  RM Zirconium oxide (CAS L314-23-4)  Poland. Maximum permissible of (Dz.U.Poz. 1286/2018, Annex 1 Components  RM Zirconium oxide (CAS L314-23-4)  Portugal. VLEs. Norm on occupation oxide (CAS L314-23-4)  Portugal. VLEs. Norm on occupation oxide (CAS L314-23-4)	TWA  n Measures and Limit Values ups for Biological Factors, as Type  TLV  concentrations and intensitie ) Type  STEL  TWA  ational exposure to chemical	for Physical and Chemical Factors in Work amended  Value  5 mg/m3  s of harmful factors in the work environment  Value  10 mg/m3  5 mg/m3  agents (NP 1796-2014)	
RM Zirconium oxide (CAS L314-23-4)  Norway. Regulation No. 1358 of Environment and Infection Grouponents  RM Zirconium oxide (CAS L314-23-4)  Poland. Maximum permissible of (Dz.U.Poz. 1286/2018, Annex 1 Components  RM Zirconium oxide (CAS L314-23-4)  Portugal. VLEs. Norm on occupation oxide (CAS L314-23-4)  Portugal. VLEs. Norm on occupation oxide (CAS L314-23-4)	TWA  n Measures and Limit Values ups for Biological Factors, as Type  TLV  concentrations and intensitie ) Type  STEL  TWA ational exposure to chemical Type	for Physical and Chemical Factors in Work amended  Value  5 mg/m3  s of harmful factors in the work environment  Value  10 mg/m3  5 mg/m3  agents (NP 1796-2014) Value	
RM Zirconium oxide (CAS 1314-23-4)  Norway. Regulation No. 1358 of Environment and Infection Grow Components  RM Zirconium oxide (CAS 1314-23-4)  Poland. Maximum permissible of (Dz.U.Poz. 1286/2018, Annex 1 Components  RM Zirconium oxide (CAS 1314-23-4)  Portugal. VLEs. Norm on occupation oxide (CAS 1314-23-4)  RM Zirconium oxide (CAS 1314-23-4)	TWA  n Measures and Limit Values ups for Biological Factors, as Type  TLV  concentrations and intensitie ) Type  STEL  TWA  ational exposure to chemical Type  STEL  TWA  TWA	for Physical and Chemical Factors in Work amended  Value  5 mg/m3  s of harmful factors in the work environment  Value  10 mg/m3  5 mg/m3  agents (NP 1796-2014) Value  10 mg/m3	
RM Zirconium oxide (CAS 1314-23-4)  Norway. Regulation No. 1358 of Environment and Infection Group Components  RM Zirconium oxide (CAS 1314-23-4)  Poland. Maximum permissible of Dz.U.Poz. 1286/2018, Annex 12 Components  RM Zirconium oxide (CAS 1314-23-4)  Portugal. VLEs. Norm on occupation oxide (CAS 1314-23-4)  RM Zirconium oxide (CAS 1314-23-4)  Romania. OELs. Limit Values of Emended)	TWA  n Measures and Limit Values ups for Biological Factors, as Type  TLV  concentrations and intensitie ) Type  STEL  TWA  ational exposure to chemical Type  STEL  TWA  TWA	for Physical and Chemical Factors in Work amended  Value  5 mg/m3  s of harmful factors in the work environment  Value  10 mg/m3  5 mg/m3  agents (NP 1796-2014) Value  10 mg/m3  5 mg/m3	
RM Zirconium oxide (CAS .314-23-4)  Norway. Regulation No. 1358 of Environment and Infection Grouponents  RM Zirconium oxide (CAS .314-23-4)  Poland. Maximum permissible of Dz.U.Poz. 1286/2018, Annex 1 Components  RM Zirconium oxide (CAS .314-23-4)  Portugal. VLEs. Norm on occupation oxide (CAS .314-23-4)  Portugal. VLEs. Norm on occupation oxide (CAS .314-23-4)  RM Zirconium oxide (CAS .314-23-4)  Romania. OELs. Limit Values of Immended) Components  RM Zirconium oxide (CAS	TWA  In Measures and Limit Values ups for Biological Factors, as Type  TLV  It concentrations and intensitie  Type  STEL  TWA  In Measures and Limit Values  Type  STEL  TWA  Chemical Agents at Workplane	for Physical and Chemical Factors in Work amended  Value  5 mg/m3  s of harmful factors in the work environment  Value  10 mg/m3  5 mg/m3  agents (NP 1796-2014)  Value  10 mg/m3  5 mg/m3  ce (Regulation 1.218/2006, M.O 845, Annex	
RM Zirconium oxide (CAS L314-23-4)  Norway. Regulation No. 1358 of Environment and Infection Grouponents  RM Zirconium oxide (CAS L314-23-4)  Poland. Maximum permissible of (Dz.U.Poz. 1286/2018, Annex 1 Components  RM Zirconium oxide (CAS L314-23-4)  Portugal. VLEs. Norm on occupation oxide (CAS L314-23-4)  RM Zirconium oxide (CAS L314-23-4)  Romania. OELs. Limit Values of Emended)  Components  RM Zirconium oxide (CAS L314-23-4)  ROMANIA CONTRACTOR OF CAS L314-23-4)  ROMANIA CONTRACTOR OF CAS L314-23-4)  ROMANIA CONTRACTOR OF CAS L314-23-4	TWA  In Measures and Limit Values ups for Biological Factors, as Type  TLV  It concentrations and intensities  Type  STEL  TWA  In Management of the control	for Physical and Chemical Factors in Work amended  Value  5 mg/m3  s of harmful factors in the work environment  Value  10 mg/m3  5 mg/m3  agents (NP 1796-2014)  Value  10 mg/m3  5 mg/m3  ce (Regulation 1.218/2006, M.O 845, Annex  Value	
RM Zirconium oxide (CAS .314-23-4)  Norway. Regulation No. 1358 of Environment and Infection Grouponents  RM Zirconium oxide (CAS .314-23-4)  Poland. Maximum permissible of Dz.U.Poz. 1286/2018, Annex 1 Components  RM Zirconium oxide (CAS .314-23-4)  Portugal. VLEs. Norm on occupation oxide (CAS .314-23-4)  Romania. OELs. Limit Values of Inmended) Components  RM Zirconium oxide (CAS .314-23-4)  Romania. OELs. Limit Values of Inmended) Components  RM Zirconium oxide (CAS .314-23-4)	TWA  In Measures and Limit Values ups for Biological Factors, as Type  TLV  It concentrations and intensities  Type  STEL  TWA  It concentrations and intensities  Type  STEL  TWA  Chemical Agents at Workplat  Type  STEL  TWA  Chemical Agents at Workplat  Type  STEL  TWA  Chemical Agents at Workplat  Type  STEL  TWA  issible exposure limits for chemical	for Physical and Chemical Factors in Work amended  Value  5 mg/m3  s of harmful factors in the work environment  Value  10 mg/m3  5 mg/m3  agents (NP 1796-2014)  Value  10 mg/m3  5 mg/m3  ce (Regulation 1.218/2006, M.O 845, Annex  Value  10 mg/m3	1, 3&4, a
RM Zirconium oxide (CAS 1314-23-4)  Norway. Regulation No. 1358 of Environment and Infection Grocomponents  RM Zirconium oxide (CAS 1314-23-4)  Poland. Maximum permissible of (Dz.U.Poz. 1286/2018, Annex 1 Components  RM Zirconium oxide (CAS 1314-23-4)  Portugal. VLEs. Norm on occupation oxide (CAS 1314-23-4)  RM Zirconium oxide (CAS 1314-23-4)  Romania. OELs. Limit Values of Emended)  Components  RM Zirconium oxide (CAS 1314-23-4)	TWA  In Measures and Limit Values ups for Biological Factors, as Type  TLV  It concentrations and intensities  Type  STEL  TWA  It concentrations and intensities  Type  STEL  TWA  Chemical Agents at Workplat  Type  STEL  TWA  Chemical Agents at Workplat  Type  STEL  TWA  Chemical Agents at Workplat  Type  STEL  TWA  issible exposure limits for chemical	for Physical and Chemical Factors in Work amended  Value  5 mg/m3  s of harmful factors in the work environment  Value  10 mg/m3  5 mg/m3  agents (NP 1796-2014)  Value  10 mg/m3  5 mg/m3  ce (Regulation 1.218/2006, M.O 845, Annex  Value  10 mg/m3  5 mg/m3  5 mg/m3	1, 3&4, a

Material name: ZrO2-SiO2 SDS EU

Slovenia. OELs. Occupational Exposure Limits of Chemicals at Workplace (Reg. on Protection of Workers from Risks due to Exp. to Chemicals at Work, Annex I), as amended

Components	Туре	Value	Form	
RM Zirconium oxide (CAS	TWA	1 mg/m3	Inhalable dust.	
1314-23-4)				

### Spain. OELs. INSST, Límites de Exposición Profesional Para Agentes Químicos, Table 1-Valores Límites

**Ambientales (VLAs)** 

Components	Туре	Value	
RM Zirconium oxide (CAS 1314-23-4)	STEL	10 mg/m3	
	TWA	5 mg/m3	

### Switzerland, SUVA Grenzwerte am Arheitsplatz: Aktuelle MAK-Werte

Components	Туре	Value	Form	
RM Zirconium oxide (CAS 1314-23-4)	TWA	5 mg/m3	Inhalable dust.	

### UK. OELs. Workplace Exposure Limits (WELs) (EH40/2005 (Fourth Edition 2020)), Table 1

Components	Туре	Value
RM Zirconium oxide (CAS 1314-23-4)	STEL	10 mg/m3
	TWA	5 mg/m3

### **Biological limit values**

**Recommended monitoring** procedures

No biological exposure limits noted for the ingredient(s).

Follow standard monitoring procedures.

**Derived no effect levels** 

(DNELs)

Not available.

**Predicted no effect** concentrations (PNECs) Not available.

### 8.2. Exposure controls

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

### Individual protection measures, such as personal protective equipment

**General information** Personal protection equipment should be chosen according to the CEN standards and in discussion

with the supplier of the personal protective equipment.

Wear safety glasses with side shields (or goggles). Eye/face protection

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

- Other Wear suitable protective clothing.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment. Thermal hazards Wear appropriate thermal protective clothing, when necessary.

**Hygiene measures** Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to

remove contaminants.

**Environmental exposure** 

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Solid. Physical state Solid. **Form** Colour

Not available. Odour Not available. Melting point/freezing point Not available.

Material name: 7rO2-SiO2

**Boiling point or initial boiling** Not available.

point and boiling range

Flammability Not available.

Upper/lower flammability or explosive limits

%)

Explosive limit – upper

**Explosive limit - lower (** 

(%)

Not available.

Not available.

Flash point Not available.

Auto-ignition temperature Not available.

Decomposition temperature Not available.

pH Not available.

Kinematic viscosity Not available.

**Solubility** 

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water) (log value)

**Vapour pressure** 3999,7 hPa estimated

Density and/or relative

density

Not available.

**Vapour density**Not available. **Particle characteristics**Not available.

9.2. Other information

9.2.1. Information with

regard to physical hazard

classes

No relevant additional information available.

No relevant additional information available.

9.2.2. Other safety characteristics

### **SECTION 10: Stability and reactivity**

**10.1. Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

**10.2. Chemical stability** Material is stable under normal conditions.

**10.3. Possibility of hazardous** No dangerous reaction known under conditions of normal use.

reactions

**10.4. Conditions to avoid** Contact with incompatible materials.

**10.5. Incompatible materials** Fluorine. Chlorine.

**10.6. Hazardous** No hazardous decomposition products are known.

decomposition products

### **SECTION 11: Toxicological information**

**General information** Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

**Inhalation** Prolonged inhalation may be harmful.

**Skin contact**No adverse effects due to skin contact are expected. **Eye contact**Direct contact with eyes may cause temporary irritation.

**Ingestion** May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

**Symptoms** Exposure may cause temporary irritation, redness, or discomfort.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Not known.

Material name: ZrO2-SiO2 SDS EU

**Product Species Test Results** 

ZrO2-SiO2

irritation

**Acute** Oral

LD50 Rat 225000 mg/kg

Skin corrosion/irritation

Serious eye damage/eye

Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible.

Respiratory sensitisation

Skin sensitisation Germ cell mutagenicity

Carcinogenicity

Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible.

### IARC Monographs. Overall Evaluation of Carcinogenicity

Silicon dioxide (CAS 60676-86-0)

3 Not classifiable as to carcinogenicity to humans.

Specific target organ toxicity

- single exposure

Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity

- repeated exposure

Reproductive toxicity

Due to partial or complete lack of data the classification is not possible.

**Aspiration hazard** Due to partial or complete lack of data the classification is not possible.

Mixture versus substance

information

No information available.

### 11.2. Information on other hazards

**Endocrine disrupting** 

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

0.1% by weight.

Other information Not available.

### **SECTION 12: Ecological information**

12.1. Toxicity Due to partial or complete lack of data the classification for hazardous to the aquatic environment,

is not possible.

12.2. Persistence and

degradability

No data is available on the degradability of this product.

12.3. Bioaccumulative

potential

No data available.

**Partition coefficient** 

n-octanol/water (log Kow)

Not available.

**Bioconcentration factor (BCF)** Not available. 12.4. Mobility in soil No data available.

12.5. Results of PBT and

vPvB assessment

No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

This mixture does not contain any substances having endocrine disrupting properties with respect to the environment as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC)

0.1% by weight.

12.7. Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

### 12.8. Additional information

### **Estonia Dangerous substances in soil Data**

Silicon dioxide (CAS 60676-86-0)

Chemical pesticides (As the total sum of the active substances) 0,5

mg/kg

Chemical pesticides (As the total sum of the active substances) 20

Chemical pesticides (As the total sum of the active substances) 5

mg/kg

Material name: ZrO2-SiO2 SDS FU

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

**Residual waste**Dispose of in accordance with local regulations. Empty containers or liners may retain some product

residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

**Contaminated packaging** Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

**EU waste code**The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

**Disposal** Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

methods/information

**Special precautions** Dispose in accordance with all applicable regulations.

### **SECTION 14: Transport information**

#### **ADR**

**14.1. UN number** Not regulated as dangerous goods. **14.2. UN proper shipping** Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

**Class** Not assigned.

Subsidiary risk -

**Hazard No. (ADR)**Not assigned. **Tunnel restriction**Not assigned.

code

**14.4. Packing group** - **14.5. Environmental** No.

hazards

**14.6. Special precautions** Not assigned.

for user

**RID** 

**14.1. UN number**Not regulated as dangerous goods. **14.2. UN proper shipping**Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

**Class** Not assigned.

Subsidiary risk 14.4. Packing group 14.5. Environmental No.

hazards

**14.6. Special precautions** Not assigned.

for user

**ADN** 

**14.1. UN number** Not regulated as dangerous goods. **14.2. UN proper shipping** Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

Class Not assigned.

Subsidiary risk 14.4. Packing group 14.5. Environmental No.

hazards

**14.6. Special precautions** Not assigned.

for user

**IATA** 

**14.1. UN number**Not regulated as dangerous goods. **14.2. UN proper shipping**Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

**Class** Not assigned.

Subsidiary risk 14.4. Packing group 14.5. Environmental No.

hazards

Material name: ZrO2-SiO2 SDS EU

**14.6. Special precautions** Not assigned.

for user

**IMDG** 

**14.1. UN number**Not regulated as dangerous goods. **14.2. UN proper shipping**Not regulated as dangerous goods.

name

14.3. Transport hazard class(es)

**Class** Not assigned.

Subsidiary risk 14.4. Packing group 14.5. Environmental hazards
Marine pollutant

EmS Not assigned.

14.6. Special precautions

Not assigned.

for user

### **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Silicon dioxide (CAS 60676-86-0)

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

### **Authorisations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

### **Restrictions on use**

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Regulation 2019/1148 on Marketing and Use of Explosive Precursors, Annex I, as amended

Not listed.

Regulation 2019/1148 on Marketing and Use of Explosive Precursors, Annex II, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC)

No 1907/2006, as amended.

**National regulations** Follow national regulation for work with chemical agents.

Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as

amended.

Material name: ZrO2-SiO2 SDS EU

## Contains a substance which is included on the TRGS 905 list of carcinogenic, germ cell mutagenic and reproductive toxic substances

Silicon dioxide (CAS 60676-86-0)

Anorganische Faserstäube, soweit nicht erwähnt (ausgenommen Gipsfasernund Wollastonitfasern)

### France regulations

### **France INRS Table of Occupational Diseases**

Not regulated.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

### **SECTION 16: Other information**

### List of abbreviations

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland

Waterways.

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert - Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

#### References

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

Full text of any statements, which are not written out in full under sections 2 to 15

None.

Not available.

Revision information Training information

This document has undergone significant changes and should be reviewed in its entirety.

Follow training instructions when handling this material.

**Further information** Transportation Emergency

Call Chemtrec at: US: 800.424.9300

International: 703.741.5970 Spain: 900.868.538 Switzerland: 0800.564.402

Chemtrec's toll free, mobile-enabled number in Germany - 0800 1817059

South Korea Toll-free Number - 080-880-0468

### Disclaimer

This document has been prepared using data from sources considered to be technically reliable and the information is believed to be correct. Materion makes no warranties, expressed or implied, as to the accuracy of the information contained herein. Materion cannot anticipate all conditions under which this information and its products may be used and the actual conditions of use are beyond its control. The user is responsible to evaluate all available information when using this product for any

particular use and to comply with all Federal, State, Provincial and Local laws, statutes and

regulations.

Material name: ZrO2-SiO2 SDS EU