

SAFETY DATA SHEET

Version #: 06 Issue date: 01-October-2013 Revision date: 10-June-2024 Supersedes date: 05-July-2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Registration number	-			
Synonyms	Nickel oxide (NiO) * NICKEL(II) OXIDE			
Materion Code	1YA			
1.1. Product identifier				
Name of the substance	Nickel oxide (NiO)			
Identification number	028-003-00-2 (Index number)			
1.2. Relevant identified use	s of the substance or mixture and	uses advised against		
Identified uses	Not available.			
Uses advised against	None known.			
1.3. Details of the supplier of	f the safety data sheet			
Supplier				
Company name	Materion Electronic Materials			
Address	6070 Parkland Blvd			
	Mayfield Heights, OH 44124			
Division	United States			
Division				
Telephone	1.216.383.4019			
e-mail	Materion-PS@materion.com			
Contact person	Product Stewardship Director			
1.4. Emergency telephone number				
Document number	1YA			
SECTION 2: Hazards id	entification			
2.1. Classification of the sub	ostance or mixture			
The substance has been as applies.	sessed and/or tested for its physical,	health and environmental ha	azards and the following classification	
Classification according to F	Regulation (EC) No 1272/2008 as	amended		
Health hazards				
Skin sensitisation	Category 1		H317 - May cause an allergic skin reaction.	
Carcinogenicity (inhala	tion) Category 1A		H350i - May cause cancer by inhalation.	

H372 - Causes damage to organs through prolonged or repeated exposure.

H413 - May cause long lasting harmful effects to aquatic life.

2.2. Label elements

exposure

Environmental hazards

long-term aquatic hazard

Label according to Regulation (EC) No. 1272/2008 as amended

Specific target organ toxicity - repeated

Hazardous to the aquatic environment,

Contains:

nickel monoxide; [1] nickel oxide; [2] bunsenite [3]

Category 1

Category 4

Hazard pictograms



Signal word

Hazard statements	
H317	May cause an allergic skin reaction.
H350i	May cause cancer by inhalation.
H372	Causes damage to organs through prolonged or repeated exposure.
H413	May cause long lasting harmful effects to aquatic life.
Precautionary statements	
Prevention	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe dust.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
Response	
P302 + P352	IF ON SKIN: Wash with plenty of water.
P308 + P313	IF exposed or concerned: Get medical advice/attention.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
Storage	
P405	Store locked up.
Disposal	
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Supplemental label information	For further information, please contact the Product Stewardship Department at +1.800.862.4118.
2.3. Other hazards	This substance does not meet vPvB / PBT criteria of Regulation (EC) No 1907/2006, Annex XIII. The substance is not included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

3.1. Substances

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
nickel monoxide; [1] nickel oxide; [2] bunsenite [3]	100	1313-99-1 215-215-7	-	028-003-00-2	#
	Skin Sens. Chronic 4;		350i, STOT RE 1;H372, Aquat	ic	

List of abbreviations and symbols that may be used above

DSD: Directive 67/548/EEC.

CLP: Regulation No. 1272/2008.

ATE: Acute toxicity estimate.

M: M-factor

vPvB: very persistent and very bioaccumulative substance.

PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Community workplace exposure limit(s).

#: This substance has been assigned Union workplace exposure limit(s).

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments The full text for all H-statements is displayed in section 16. The full text for all R- and H-phrases is displayed in section 16.

SECTION 4: First aid measures

General information	IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.
4.1. Description of first aid me	asures
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.
Eye contact	Do not rub eyes. Rinse with water. Get medical attention if irritation develops and persists.

Material name: Nickel oxide (NiO)

Ingestion	Rinse mouth. Get medical attention if symptoms occur.
4.2. Most important symptoms and effects, both acute and delayed	Dusts may irritate the respiratory tract, skin and eyes. May cause an allergic skin reaction. Dermatitis. Rash. Prolonged exposure may cause chronic effects.
4.3. Indication of any immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
SECTION 5: Firefighting	measures
General fire hazards	No unusual fire or explosion hazards noted.
5.1. Extinguishing media Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising from the substance or mixture	During fire, gases hazardous to health may be formed.
5.3. Advice for firefighters Special protective equipment for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Special firefighting procedures	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
	-

SECTION 6: Accidental release measures

6.1. Personal precautions, prot	tective equipment and emergency procedures
For non-emergency personnel	Do not breathe dust. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
For emergency responders	Ensure adequate ventilation. Do not breathe dust. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
6.2. Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.
6.3. Methods and material for containment and cleaning up	Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Minimise dust generation and accumulation. Collect dust using a vacuum cleaner equipped with HEPA filter. Prevent product from entering drains. Stop the flow of material, if this is without risk.
	Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Following product recovery, flush area with water.
	Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal.
	Never return spills to original containers for re-use. Put material in suitable, covered, labeled containers.
6.4. Reference to other sections	For personal protection, see section 8 of the SDS. For waste disposal, see section 13.
SECTION 7: Handling and	d storage
7.1. Precautions for safe handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Minimise dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Do not breathe dust. Avoid contact with eyes, skin, and

	clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.
7.2. Conditions for safe storage, including any incompatibilities	Store locked up. Store in tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).
incompationaleo	Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended
	ANNEX 1, PART 2 Named dangerous substances - 11. Nickel compounds in inhalable powder form: nickel monoxide, nickel dioxide, nickel sulphide, trinickel disulphide, dinickel trioxide (Upper-tier requirements = 1 tonne)
Material name: Nickel oxide (NiO)	

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

- Chemical agents, as amended Material	Туре	Value	
nickel monoxide; [1] nickel oxide; [2] bunsenite [3] CAS 1313-99-1)	TWA	0,2 mg/m3	
Bulgaria. OELs. Ordinance No 13 Amended	on protection of workers a	gainst risks of exposure to cl	nemical agents at work,
Material	Туре	Value	
nickel monoxide; [1] nickel oxide; [2] bunsenite [3] CAS 1313-99-1)	TWA	0,05 mg/m3	
Croatia. OELs (GVI). Regulation			s Chemicals at Work, Ol
and Biological Limit Values, Ann Material	Type	Value	
nickel monoxide; [1] nickel oxide; [2] bunsenite [3] CAS 1313-99-1)	STEL	1 mg/m3	
Cyprus. OELs. Control of factory amended	atmosphere and dangerous	substances in factories regu	llation, PI 311/73, as
Material	Туре	Value	
nickel monoxide; [1] nickel oxide; [2] bunsenite [3] (CAS 1313-99-1)	TWA	1 mg/m3	
Czech Republic. Occupational ex 861/2007, Annex 2, Part A & An	nex 3, Part A, as amended)		
Material	Туре	Value	Form
nickel monoxide; [1] nickel oxide; [2] bunsenite [3] (CAS 1313-99-1)	Ceiling	0,25 mg/m3	Aerosol, inhalable.
	TWA	0,05 mg/m3	Aerosol, inhalable.
Denmark. Work Environment Au Material	thority. Exposure Limits for Type	Substances & Materials, Anr Value	nex 2
nickel monoxide; [1] nickel oxide; [2] bunsenite [3] CAS 1313-99-1)	TLV	0,05 mg/m3	
Estonia. OELs. Occupational Exp amended Material	osure Limits of Hazardous S Type	ubstances (Regulation No. 1 Value	05/2001, Annex), as
nickel monoxide; [1] nickel	TWA	0,1 mg/m3	
xide; [2] bunsenite [3] CAS 1313-99-1)	IWA	0,1 1119/1115	
Finland. HTP-arvot, App 3., Bind Material	ing Limit Values, Social Affa Type	irs and Ministry of Health Value	Form
ickel monoxide; [1] nickel xide; [2] bunsenite [3] CAS 1313-99-1)	TWA	0,01 mg/m3	Respirable.
France. Threshold Limit Values (VLEP) for Occupational Exp Type	osure to Chemicals in France Value	, INRS ED 984
Material			

Germany. TRGS 900, Limit Values iı Material	n the Ambient Air at the W Type	/orkplace Value	Form
nickel monoxide; [1] nickel oxide; [2] bunsenite [3] CAS 1313-99-1)	AGW	0,03 mg/m3	Inhalable fraction.
Greece. OELs, Presidential Decree N Material	lo. 307/1986, as amende Type	d Value	
nickel monoxide; [1] nickel oxide; [2] bunsenite [3] (CAS 1313-99-1)	TWA	1 mg/m3	
Hungary. OELs. Decree on protection Amended	-		II.6)), Annex 1&2, as
Material	Туре	Value	
nickel monoxide; [1] nickel oxide; [2] bunsenite [3] (CAS 1313-99-1)	TWA	0,01 mg/m3	
Iceland. OELs. Regulation 390/200 amended	9 on Pollution Limits and	Measures to Reduce Polluti	on at the Workplace, as
Material	Туре	Value	
nickel monoxide; [1] nickel oxide; [2] bunsenite [3] (CAS 1313-99-1)	TWA	1 mg/m3	
Ireland. OELVs, Schedules 1 & 2, Co Material	ode of Practice for Chemic Type	al Agents and Carcinogens Value	Regulations
nickel monoxide; [1] nickel oxide; [2] bunsenite [3] (CAS 1313-99-1)	TWA	0,5 mg/m3	
Italy. OELs (Legislative Decree n.81 Material	l, 9 April 2008), as amend Type	ed Value	Form
nickel monoxide; [1] nickel oxide; [2] bunsenite [3] (CAS 1313-99-1)	TWA	0,2 mg/m3	Inhalable fraction.
Lithuania. OELs. Occupational Expo No. V-824/A1-389), as amended	sure Limit Values for Che	mical Substances (Hygiene	Norm HN 23:2011; Ord
Material	Туре	Value	
nickel monoxide; [1] nickel oxide; [2] bunsenite [3] (CAS 1313-99-1)	TWA	0,1 mg/m3	
Norway. Regulation No. 1358 on Me Environment and Infection Groups	for Biological Factors, as a	amended	actors in Work
Material	Туре	Value	
nickel monoxide; [1] nickel oxide; [2] bunsenite [3] (CAS 1313-99-1)	TLV	0,05 mg/m3	
Poland. Maximum permissible conc (Dz.U.Poz. 1286/2018, Annex 1)			ork environment
Material	Туре	Value	
nickel monoxide; [1] nickel oxide; [2] bunsenite [3] (CAS 1313-99-1)	TWA	0,25 mg/m3	
Portugal. VLEs. Norm on occupation Material	nal exposure to chemical a Type	agents (NP 1796-2014) Value	Form

	Ту	pe	V	alue	
nickel monoxide; [1] nickel oxide; [2] bunsenite [3] (CAS 1313-99-1)	STI	EL	0,	5 mg/m3	
	TW	Ά	0,	1 mg/m3	
Slovakia. OELs for carcin		ns. Regulation No.	356/2006 on	carcinogenic	and mutagenic
substances, as amended Material	Ту	pe	V	alue	Form
nickel monoxide; [1] nickel oxide; [2] bunsenite [3] (CAS 1313-99-1)	TW		0,	5 mg/m3	Inhalable fraction.
Sweden. OELs (Annex 1)	. Work Environmer	t Authority (AV), (Occupational E	xposure Limi	it Values (AFS 2018:1),
amended Material	Ту	ne	V	alue	Form
nickel monoxide; [1] nickel oxide; [2] bunsenite [3] (CAS 1313-99-1)	TW			1 mg/m3	Total dust.
EU. OELs, Directive 2004 Material	/37/EC on carcino Ty			II, Part A alue	Form
nickel monoxide; [1] nickel oxide; [2] bunsenite [3] (CAS 1313-99-1)	ТМ	Ά	0,	05 mg/m3	Inhalable fraction.
			0,	01 mg/m3	Respirable fraction.
Material nickel monoxide; [1] nickel oxide; [2] bunsenite [3]	Value 0,1 umol/l	Determinant Nickel	Specimen Urine	Sampling *	
(CAS 1313-99-1)					
(CAS 1313-99-1) * - For sampling details, ple	ase see the source do	ocument.			
. ,			hemical agent Specimen	• •	
* - For sampling details, ple Hungary. BELs. Decree o amended Material nickel monoxide; [1] nickel oxide; [2] bunsenite [3]	n protection of wor Value	kers exposed to c	-	s (5/2020. (I Sampling ⁻ *	
* - For sampling details, ple Hungary. BELs. Decree o amended Material nickel monoxide; [1] nickel	n protection of wor Value	kers exposed to c	Specimen	Sampling	
* - For sampling details, ple Hungary. BELs. Decree o amended Material nickel monoxide; [1] nickel oxide; [2] bunsenite [3]	on protection of wor Value 0,051 μmol/l 0,003 mg/l	rkers exposed to cl Determinant Nickel Nickel	Specimen Urine	Sampling *	
* - For sampling details, ple Hungary. BELs. Decree o amended Material nickel monoxide; [1] nickel oxide; [2] bunsenite [3] (CAS 1313-99-1) * - For sampling details, ple commended monitoring	on protection of wor Value 0,051 μmol/l 0,003 mg/l case see the source do	rkers exposed to cl Determinant Nickel Nickel	Specimen Urine Urine	Sampling *	
 * - For sampling details, ple Hungary. BELs. Decree o amended Material nickel monoxide; [1] nickel oxide; [2] bunsenite [3] (CAS 1313-99-1) * - For sampling details, ple commended monitoring cedures rived no effect levels 	on protection of wor Value 0,051 μmol/l 0,003 mg/l case see the source do	rkers exposed to cl Determinant Nickel Nickel	Specimen Urine Urine	Sampling *	
 For sampling details, ple Hungary. BELs. Decree o amended Material nickel monoxide; [1] nickel oxide; [2] bunsenite [3] (CAS 1313-99-1) For sampling details, ple commended monitoring ocedures rived no effect levels NELs) edicted no effect 	Value 0,051 μmol/l 0,003 mg/l case see the source do Follow standard n	rkers exposed to cl Determinant Nickel Nickel	Specimen Urine Urine	Sampling *	
 * - For sampling details, ple Hungary. BELs. Decree o amended Material nickel monoxide; [1] nickel oxide; [2] bunsenite [3] (CAS 1313-99-1) * - For sampling details, ple commended monitoring ocedures rived no effect levels NELs) edicted no effect ncentrations (PNECs) posure guidelines 	value 0,051 μmol/l 0,003 mg/l case see the source do Follow standard n Not available. Not available.	rkers exposed to cl Determinant Nickel Nickel ocument. nonitoring procedure	Specimen Urine Urine s.	Sampling *	
 * - For sampling details, ple Hungary. BELs. Decree o amended Material nickel monoxide; [1] nickel oxide; [2] bunsenite [3] (CAS 1313-99-1) * - For sampling details, ple commended monitoring ocedures rived no effect levels NELs) edicted no effect ncentrations (PNECs) posure guidelines Slovakia OELs for Carcine nickel monoxide; [1] nickel 	Value 0,051 μmol/l 0,003 mg/l case see the source do Follow standard m Not available. Not available.	rkers exposed to cl Determinant Nickel Nickel ocument. nonitoring procedure	Specimen Urine Urine s.	Sampling * *	
 * - For sampling details, ple Hungary. BELs. Decree o amended Material nickel monoxide; [1] nickel oxide; [2] bunsenite [3] (CAS 1313-99-1) * - For sampling details, ple commended monitoring ocedures rived no effect levels NELs) edicted no effect ncentrations (PNECs) posure guidelines Slovakia OELs for Carcing 	Value 0,051 μmol/l 0,003 mg/l case see the source do Follow standard m Not available. Not available.	rkers exposed to cl Determinant Nickel Nickel ocument. nonitoring procedure	s.	Sampling * *	

Individual protection measures, such as personal protective equipment

•	/ I I I I
General information	Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.
Eye/face protection	Chemical respirator with organic vapour cartridge, full facepiece, dust and mist filter.
Skin protection	
- Hand protection	Wear appropriate chemical resistant gloves.
- Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.
Respiratory protection	Chemical respirator with organic vapour cartridge, full facepiece, dust and mist filter.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
Hygiene measures	Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.
Environmental exposure controls	Inform appropriate managerial or supervisory personnel of all environmental releases. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties			
Physical state	Solid.		
Form	Powder.		
Colour	Not available.		
Odour	Not available.		
Melting point/freezing point	1955 °C (3551 °F)		
Boiling point or initial boiling point and boiling range	Not available.		
Flammability	Not available.		
Upper/lower flammability or e	explosive limits		
Explosive limit - lower (%)	Not available.		
Explosive limit – upper (%)	Not available.		
Flash point	Not available.		
Auto-ignition temperature	Not available.		
Decomposition temperature	Not available.		
рН	Not available.		
Kinematic viscosity	Not available.		
Solubility			
Solubility (water)	Not available.		
Partition coefficient (n-octanol/water) (log value)	Not available.		
Vapour pressure	<0,0000001 kPa (25 °C (77 °F))		
Density and/or relative densit	У		
Density	6,72 g/cm3 estimated		
Vapour density	Not available.		
Particle characteristics	Not available.		
9.2. Other information			
9.2.1. Information with regard to physical hazard classes	No relevant additional information available.		
9.2.2. Other safety characteris	tics		
Molecular formula	Ni-O		
Molecular weight	74,69 g/mol		
Specific gravity	6,72		

Material name: Nickel oxide (NiO)

1YA Version #: 06 Revision date: 10-June-2024 Issue date: 01-October-2013

SECTION 10: Stability and reactivity

10.1. Reactivity 10.2. Chemical stability 10.3. Possibility of hazardous reactions	The product is stable and non-reactive under normal conditions of use, storage and transport. Material is stable under normal conditions. No dangerous reaction known under conditions of normal use.
10.4. Conditions to avoid	Contact with incompatible materials.
10.5. Incompatible materials	Strong oxidising agents.
10.6. Hazardous decomposition products	No hazardous decomposition products are known.

SECTION 11: Toxicological information

General information	Occupational exposure to the substance or mixture may cause adverse effects.	
Information on likely routes o	-	
Inhalation	May cause cancer by inhalation. Dust may irritate respiratory system. Prolonged inhalation may be harmful.	
Skin contact	Dust or powder may irritate the skin. May cause an allergic skin reaction.	
Eye contact	Dust may irritate the eyes.	
Ingestion	May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.	
Symptoms	Dusts may irritate the respiratory tract, skin and eyes. May cause an allergic skin reaction. Dermatitis. Rash.	
11.1. Information on hazard c	lasses as defined in Regulation (EC) No 1272/2008	
Acute toxicity	Due to partial or complete lack of data the classification is not possible.	
Skin corrosion/irritation	Due to partial or complete lack of data the classification is not possible.	
Serious eye damage/eye irritation	Due to partial or complete lack of data the classification is not possible.	
Respiratory sensitisation	Due to partial or complete lack of data the classification is not possible.	
Skin sensitisation	May cause an allergic skin reaction.	
Germ cell mutagenicity	Due to partial or complete lack of data the classification is not possible.	
Carcinogenicity	May cause cancer.	
Hungary. 26/2000 EüM Or at work (as amended)	dinance on protection against and preventing risk relating to exposure to carcinogens	
	el oxide; [2] bunsenite [3] (CAS 1313-99-1)	
	I Evaluation of Carcinogenicity el oxide; [2] bunsenite [3] 1 Carcinogenic to humans.	
(CAS 1313-99-1)		
Reproductive toxicity	Due to partial or complete lack of data the classification is not possible.	
Specific target organ toxicity - single exposure	Due to partial or complete lack of data the classification is not possible.	
Specific target organ toxicity - repeated exposure	Causes damage to organs through prolonged or repeated exposure.	
Aspiration hazard	Due to partial or complete lack of data the classification is not possible.	
Mixture versus substance information	No information available.	
11.2. Information on other ha	zards	
Endocrine disrupting properties	This substance does not have endocrine disrupting properties with respect to human health, as if does not meet the assessment criteria laid out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605.	
Other information	Not available.	
SECTION 12: Ecological	information	
12.1. Toxicity	May cause long lasting harmful effects to aquatic life. Due to partial or complete lack of data the classification for hazardous to the aquatic environment, acute hazard, is not possible.	
12.2. Persistence and degradability	No data is available on the degradability of this product.	
12.3. Bioaccumulative potential	No data available.	

Material name: Nickel oxide (NiO)

1YA Version #: 06 Revision date: 10-June-2024 Issue date: 01-October-2013

Partition coefficient n-octanol/water (log Kow)	Not available.			
Bioconcentration factor (BCF)	Not available.			
12.4. Mobility in soil	No data available.			
12.5. Results of PBT and vPvB assessment	This substance does not meet vPvB / PBT criteria of Regulation (EC) No 1907/2006, Annex XIII.			
12.6. Endocrine disrupting properties	This substance does not have endocrine disrupting properties with respect to the environment, as if does not meet the assessment criteria laid out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605.			
12.7. Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.			
12.8. Additional information				
Estonia Dangerous substances in soil Data				
nickel monoxide; [1] nicke (CAS 1313-99-1)	oxide; [2] bunsenite [3]	Nickel (Ni) 150 mg/kg		
		Nickel (Ni) 50 mg/kg Nickel (Ni) 500 mg/kg		

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).	
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.	
EU waste code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.	
Disposal methods/information	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.	
Special precautions	Dispose in accordance with all applicable regulations.	

SECTION 14: Transport information

ADR

UN3077		
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (nickel monoxide; [1] nickel oxide;		
[2] bunsenite [3])		
ss(es)		
9		
-		
9		
90		
-		
III		
Yes		
Read safety instructions, SDS and emergency procedures before handling.		
UN3077		
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (nickel monoxide; [1] nickel oxide; [2] bunsenite [3])		
ss(es)		
9		
-		
9		
III		
Yes		
Read safety instructions, SDS and emergency procedures before handling.		

ADN

ADN			
14.1. UN number	UN3077		
14.2. UN proper shipping	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (nickel monoxide; [1] nickel oxide;		
name	[2] bunsenite [3])		
14.3. Transport hazard clas			
Class	9		
Subsidiary risk	-		
Label(s)	9		
14.4. Packing group	III		
14.5. Environmental	Yes		
hazards	105		
14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.		
for user	Read salely list detions, SDS and emergency procedures before handling.		
IATA			
	Nativasulated as dependences and		
14.1. UN number	Not regulated as dangerous goods.		
14.2. UN proper shipping	Not regulated as dangerous goods.		
name			
14.3. Transport hazard clas			
Class	Not assigned.		
Subsidiary risk	-		
14.4. Packing group	-		
14.5. Environmental	No.		
hazards			
14.6. Special precautions	Not assigned.		
for user			
IMDG			
14.1. UN number	Not regulated as dangerous goods.		
14.2. UN proper shipping	Not regulated as dangerous goods.		
name			
14.3. Transport hazard clas	ss(es)		
Class	Not assigned.		
Subsidiary risk	-		
14.4. Packing group	-		
14.5. Environmental hazard	ls		
Marine pollutant	No.		
EmS	Not assigned.		
14.6. Special precautions	Not assigned.		
for user	Not assigned.		
ADN; ADR; RID			
Marine pollutant			

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

/2009 on substances that de	eplete the ozone layer, Annex I and II, as amended
21 On persistent organic pol	lutants (recast), as amended
2012 concerning the export	and import of dangerous chemicals, Annex I, Part 1 as
2012 concerning the export	and import of dangerous chemicals, Annex I, Part 2 as
2012 concerning the export	and import of dangerous chemicals, Annex I, Part 3 as
2012 concerning the export	and import of dangerous chemicals, Annex V as amended
2006 Annex II Pollutant Rel	ease and Transfer Registry, as amended
,) Candidate List as currently published by ECHA
/2006, REACH Annex XIV Sı	ibstances subject to authorization, as amended
	ubstances subject to restriction on marketing and use, as ociated entry number should be considered
	5 1313-99-1) rom the risks related to exposure to carcinogens and
	5 1313-99-1)
	osive Precursors, Annex I, as amended
۱ Marketing and Use of Explo	sive Precursors, Annex II, as amended
Directive 2012/18/EU on maj	or accident hazards involving dangerous substances, as amended
	nalable powder form: nickel monoxide, nickel dioxide, nickel sulphide,
The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (I	
Follow national regulation for According to Directive 92/85/ if there is the least risk of exp	EEC as amended, pregnant women should not work with the product,
Directive 94/33/EC on the pro young persons under the age and Safety at Work Regulatio	old are not allowed to work with this product according to EU otection of young people at work, as amended Use of this product by of 18 is not allowed in accordance with the Management of Health ins 1999 [SI 1999/3242], as amended. Follow national regulation on m the risks of exposure to carcinogens and mutagens at work, in 04/37/EC, as amended.
ch is included on the TRGS 9	07 list of registry of sensitizing substances
kel oxide; [2] bunsenite [3]	Nickelverbindungen, Wasserlösliche insbesondere Ni-sulfat und Ni-dichlorid
upational Diseases	
kel oxide; [2] bunsenite [3]	Affections cutanées professionnelles causées par les oxydes et les sels de nickel 37 Affections respiratoires causées par les oxydes et les sels de nickel 37 bis
No Chemical Safety Assessme	
	21 On persistent organic pol 2012 concerning the export 2012 concerning the export 2012 concerning the export 2012 concerning the export 2012 concerning the export 2006 Annex II Pollutant Rel kel oxide; [2] bunsenite [3] (CAS /2006, REACH Annex XIV Su /2006, REACH Annex XIV Su /2006, REACH Annex XIV Su /2006, REACH Annex XIV Su /2006, REACH Annex XVII S restriction given for the asso kel oxide; [2] bunsenite [3] (CAS he protection of workers f ended. kel oxide; [2] bunsenite [3] (CAS harketing and Use of Explo Directive 2012/18/EU on maj ANNEX 1, PART 2 Named dar - 11. Nickel compounds in inf trinickel disulphide, dinickel to The product is classified and Regulation) as amended. This No 1907/2006, as amended. Follow national regulation for According to Directive 92/85/ if there is the least risk of exp Young people under 18 years Directive 94/33/EC on the pro young persons under the age and Safety at Work Regulation the protection of workers fron accordance with Directive 200 ch is included on the TRGS 9 kel oxide; [2] bunsenite [3]

SECTION 16: Other information

List of abbreviations ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways. ADR: Agreement concerning the International Carriage of Dangerous Goods by Road. AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert - Germany). CAS: Chemical Abstract Service. CEN: European Committee for Standardization. IATA: International Air Transport Association. IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk. IMDG: International Maritime Dangerous Goods. MAC: Maximum Allowed Concentration. MARPOL: International Convention for the Prevention of Pollution from Ships. PBT: Persistent, bioaccumulative and toxic. RID: Regulations concerning the International Carriage of Dangerous Goods by Rail. STEL: Short term exposure limit. TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value. vPvB: Very persistent and very bioaccumulative. References Not available. Information on evaluation Not applicable. method leading to the classification of mixture Full text of any statements, which are not written out in full under sections 2 to 15 H317 May cause an allergic skin reaction. H350i May cause cancer by inhalation. H372 Causes damage to organs through prolonged or repeated exposure. H413 May cause long lasting harmful effects to aquatic life. **Revision information** This document has undergone significant changes and should be reviewed in its entirety. **Training information** Follow training instructions when handling this material. **Further information** Transportation Emergency Call Chemtrec at: US: 800.424.9300 International: 703.741.5970 Spain: 900.868.538 Switzerland: 0800.564.402 Chemtrec's toll free, mobile-enabled number in Germany - 0800 1817059 South Korea Toll-free Number - 080-880-0468 Disclaimer This document has been prepared using data from sources considered to be technically reliable and the information is believed to be correct. Materion makes no warranties, expressed or implied, as to the accuracy of the information contained herein. Materion cannot anticipate all conditions under which this information and its products may be used and the actual conditions of use are beyond its control. The user is responsible to evaluate all available information when using this product for any particular use and to comply with all Federal, State, Provincial and Local laws, statutes and regulations.