# MATERION

# SAFETY DATA SHEET

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of the substance Strontium Stannate (SrSnO3) **Identification number** 235-264-8 (EC number)

**Synonyms** Strontium tin oxide (SrSnO3) \* Strontium tin trioxide

**Document number Materion Code** 2AY

**Issue date** 26-May-2015

**Version number** 02

**Revision date** 15-January-2018 Supersedes date 26-May-2015

1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Not available. None known. Uses advised against

1.3. Details of the supplier of the safety data sheet

Supplier

**Division** 

**Telephone** 

**Company name** Materion Advanced Chemicals Inc.

407 N. 13th Street **Address** 

1316 W. St. Paul Avenue Milwaukee, WI 53233

**United States** Milwaukee 414.212.0257

e-mail advancedmaterials@materion.com

Contact person Noreen Atkinson

1.4. Emergency telephone

number

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

The substance has been assessed and/or tested for its physical, health and environmental hazards and the following classification

# Classification according to Regulation (EC) No 1272/2008 as amended

This substance does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended

**Hazard summary** Not available.

2.2. Label elements

#### Label according to Regulation (EC) No. 1272/2008 as amended

Strontium Stannate (SrSnO3) **Contains:** 

**Hazard pictograms** None. Signal word None

**Hazard statements** The substance does not meet the criteria for classification.

**Precautionary statements** 

**Prevention** Observe good industrial hygiene practices.

Response Wash hands after handling.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

Supplemental label

information

None.

2.3. Other hazards None known.

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Material name: Strontium Stannate (SrSnO3)

**General information** 

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	INDEX No.	Notes
Strontium Stannate (SrSnO3)	90 - 100	12143-34-9 235-264-8	-	-	#
Classification:					

#### List of abbreviations and symbols that may be used above

CLP: Regulation No. 1272/2008. DSD: Directive 67/548/EEC.

M: M-factor

vPvB: very persistent and very bioaccumulative substance. PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Community workplace exposure limit(s).

#### **SECTION 4: First aid measures**

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

**Eve contact** Rinse with water. Get medical attention if irritation develops and persists.

**Ingestion** Rinse mouth. Get medical attention if symptoms occur. 4.2. Most important Direct contact with eyes may cause temporary irritation.

symptoms and effects, both

acute and delayed

4.3. Indication of any

immediate medical attention and special treatment

needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

**General fire hazards** No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

**Unsuitable extinguishing** 

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising

from the substance or

mixture

During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special firefighting

procedures

Use water spray to cool unopened containers.

**Specific methods** Use standard firefighting procedures and consider the hazards of other involved materials.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

personnel For emergency responders

6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Stop the flow of material, if this is without risk. Following product recovery, flush area with water.

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

6.4. Reference to other

sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SDS FU

# **SECTION 7: Handling and storage**

7.1. Precautions for safe

Avoid prolonged exposure. Observe good industrial hygiene practices.

handling

7.2. Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of

the SDS).

**7.3. Specific end use(s)** Not available.

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

# **Occupational exposure limits**

Austria. MAK List, OEL Ordinance Material	(Gwv), BGBI. 11, NO. 184/2 Type	Value	Form
Strontium Stannate (SrSnO3) (CAS 12143-34-9)	MAK	2 mg/m3	Inhalable fraction.
(6.665) (66 1116 6 . 5)	STEL	4 mg/m3	Inhalable fraction.
Belgium. Exposure Limit Values. Material	Туре	Value	
Strontium Stannate (SrSnO3) (CAS 12143-34-9)	TWA	2 mg/m3	
Czech Republic. OELs. Governmen			
Material	Туре	Value	
Strontium Stannate (SrSnO3) (CAS 12143-34-9)	Ceiling	4 mg/m3	
	TWA	2 mg/m3	
Denmark. Exposure Limit Values			
Material	Туре	Value	
Strontium Stannate (SrSnO3) (CAS 12143-34-9)	TLV	2 mg/m3	
Estonia. OELs. Occupational Expos September 2001)	sure Limits of Hazardous S	ubstances. (Annex of Regu	lation No. 293 of 18
Material	Туре	Value	
Strontium Stannate (SrSnO3) (CAS 12143-34-9)	TWA	2 mg/m3	
Finland. Workplace Exposure Limi	ts		
Material	Туре	Value	
Strontium Stannate (SrSnO3) (CAS 12143-34-9)	TWA	2 mg/m3	
Germany. TRGS 900, Limit Values			
Material	Туре	Value	Form
Strontium Stannate (SrSnO3) (CAS 12143-34-9)	AGW	2 mg/m3	Inhalable fraction.
Greece. OELs (Decree No. 90/199		_	
Material	Туре	Value	
Strontium Stannate (SrSnO3) (CAS 12143-34-9)	TWA	2 mg/m3	
Hungary. OELs. Joint Decree on C	= = = = = = = = = = = = = = = = = = = =		
Material	Туре	Value	
Strontium Stannate (SrSnO3) (CAS 12143-34-9)	STEL	8 mg/m3	
. ,	TWA	2 mg/m3	
Iceland. OELs. Regulation 154/19 Material	= = = = = = = = = = = = = = = = = = = =	ıre limits Value	
	Туре		
Strontium Stannate (SrSnO3) (CAS 12143-34-9)	TWA	2 mg/m3	

Material name: Strontium Stannate (SrSnO3)

2AY Version #: 02 Revision date: 15-January-2018 Issue date: 26-May-2015 3 /

Ireland. Occupational Exposure Limits Material	Туре	Value	
Strontium Stannate SrSnO3) (CAS 12143-34-9)	TWA	2 mg/m3	
.atvia. OELs. Occupational exposure li Material	mit values of chemic Type	al substances in work enviro Value	nment
Strontium Stannate SrSnO3) (CAS 12143-34-9)	TWA	2 mg/m3	
ithuania. OELs. Limit Values for Cher Material	nical Substances, Ge Type	neral Requirements Value	
Strontium Stannate SrSnO3) (CAS 12143-34-9)	TWA	2 mg/m3	
uxembourg. Binding Occupational ex Material	posure limit values ( Type	Annex I), Memorial A Value	
Strontium Stannate SrSnO3) (CAS 12143-34-9)	TWA	2 mg/m3	
Malta. OELs. Occupational Exposure Li 124), Schedules I and V)	-	•	Safety Authority Act (CA
Material	Туре	Value	
Strontium Stannate (SrSnO3) (CAS 12143-34-9)	TWA	2 mg/m3	
Norway. Administrative Norms for Cor Material	taminants in the Wo	orkplace Value	
Strontium Stannate SrSnO3) (CAS 12143-34-9)	TLV	2 mg/m3	
Poland. MACs. Regulation regarding m work environment, Annex 1 Material	naximum permissible Type	concentrations and intensiti Value	es of harmful factors in t Form
Strontium Stannate SrSnO3) (CAS 12143-34-9)	TWA	2 mg/m3	Inhalable fraction.
Portugal. OELs. Decree-Law n. 290/20 Material	001 (Journal of the R Type	epublic - 1 Series A, n.266) Value	
Strontium Stannate SrSnO3) (CAS 12143-34-9)	TWA	2 mg/m3	
Portugal. VLEs. Norm on occupational Material	exposure to chemica Type	al agents (NP 1796) Value	
Strontium Stannate (SrSnO3) (CAS 12143-34-9)	TWA	2 mg/m3	
Romania. OELs. Protection of workers Material	from exposure to ch Type	emical agents at the workpla Value	ace
Strontium Stannate SrSnO3) (CAS 12143-34-9)	TWA	2 mg/m3	
Slovakia. OELs. Regulation No. 300/20 Material	007 concerning prote Type	ection of health in work with Value	chemical agents
Strontium Stannate SrSnO3) (CAS 12143-34-9)	STEL	4 mg/m3	
	TWA	2 mg/m3	
Slovenia. OELs. Regulations concernin working (Official Gazette of the Repub		ers against risks due to expo	sure to chemicals while
Material	Туре	Value	
Strontium Stannate SrSnO3) (CAS 12143-34-9)	TWA	2 mg/m3	
Spain. Occupational Exposure Limits Material	Туре	Value	
Strontium Stannate (SrSnO3) (CAS 12143-34-9)	TWA	2 mg/m3	

Material name: Strontium Stannate (SrSnO3)

SDS EU 2AY Version #: 02 Revision date: 15-January-2018 Issue date: 26-May-2015

Sweden. OELs. Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2015:7) **Material Value Type** Strontium Stannate Inhalable dust. TWA 2 mg/m3 (SrSnO3) (CAS 12143-34-9) Switzerland. SUVA Grenzwerte am Arbeitsplatz **Form Material** Type **Value** Strontium Stannate STEL 4 mg/m3 Inhalable dust. (SrSnO3) (CAS 12143-34-9) TWA 2 mg/m3 Inhalable dust. **UK. EH40 Workplace Exposure Limits (WELs) Material Value Type STEL** 4 mg/m3 Strontium Stannate (SrSnO3) (CAS 12143-34-9) **TWA** 2 mg/m3 EU. Indicative Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU Material Value Type Strontium Stannate **TWA** 2 mg/m3

Follow standard monitoring procedures.

(SrSnO3) (CAS 12143-34-9)

**Biological limit values** 

**Recommended monitoring** 

procedures

**Derived no effect levels** (DNELs)

Not available.

**Predicted no effect** concentrations (PNECs) Not available.

8.2. Exposure controls

**Appropriate engineering** 

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

**General information** Personal protection equipment should be chosen according to the CEN standards and in discussion

with the supplier of the personal protective equipment.

No biological exposure limits noted for the ingredient(s).

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

- Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

- Other Wear suitable protective clothing.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

**Hygiene measures** Always observe good personal hygiene measures, such as washing after handling the material and

before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to

remove contaminants.

**Environmental exposure** 

controls

Environmental manager must be informed of all major releases.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

**Appearance** 

**Physical state** Solid. **Form** Solid.

Not available. Colour Not available. Odour **Odour threshold** Not available. Not available. Melting point/freezing point Not available.

Material name: Strontium Stannate (SrSnO3)

SDS EU 2AY Version #: 02 Revision date: 15-January-2018 Issue date: 26-May-2015

Initial boiling point and

boiling range

Not available.

Flash point Not available. **Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Flammability limit -

upper (%)

Not available. Not available.

Vapour pressure < 0,0000001 kPa at 25 °C

Not available. Vapour density **Relative density** Not available.

Solubility(ies)

Not available. Solubility (water) **Partition coefficient** Not available.

(n-octanol/water) **Auto-ignition temperature Decomposition temperature** 

Not available. Not available. Not available. Not explosive. Not oxidising.

**Oxidising properties** 9.2. Other information

**Explosive properties** 

Molecular formula O3Sn

# **SECTION 10: Stability and reactivity**

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

**Viscosity** 

No dangerous reaction known under conditions of normal use.

10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous decomposition products

10.4. Conditions to avoid

No hazardous decomposition products are known.

#### **SECTION 11: Toxicological information**

**General information** Occupational exposure to the substance or mixture may cause adverse effects.

Contact with incompatible materials.

#### Information on likely routes of exposure

**Inhalation** Prolonged inhalation may be harmful.

Skin contact No adverse effects due to skin contact are expected. **Eye contact** Direct contact with eyes may cause temporary irritation.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

**Symptoms** Exposure may cause temporary irritation, redness, or discomfort.

#### 11.1. Information on toxicological effects

**Acute toxicity** No data available.

Skin corrosion/irritation Due to partial or complete lack of data the classification is not possible. Serious eye damage/eye Due to partial or complete lack of data the classification is not possible.

irritation

**Respiratory sensitisation** Due to partial or complete lack of data the classification is not possible. Skin sensitisation Due to partial or complete lack of data the classification is not possible. Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible.

Carcinogenicity Due to partial or complete lack of data the classification is not possible.

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.

Reproductive toxicity Due to partial or complete lack of data the classification is not possible.

Material name: Strontium Stannate (SrSnO3) 2AY Version #: 02 Revision date: 15-January-2018 Issue date: 26-May-2015 Specific target organ toxicity

- single exposure

Due to partial or complete lack of data the classification is not possible.

**Aspiration hazard** 

Specific target organ toxicity

- repeated exposure

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible.

Mixture versus substance

information

No information available.

Other information

This product has no known adverse effect on human health.

## **SECTION 12: Ecological information**

The product is not classified as environmentally hazardous. However, this does not exclude the 12.1. Toxicity

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

12.2. Persistence and

degradability

No data is available on the degradability of this product.

12.3. Bioaccumulative

potential

No data available.

**Partition coefficient** 

n-octanol/water (log Kow)

Not available.

**Bioconcentration factor (BCF)** Not available. 12.4. Mobility in soil No data available 12.5. Results of PBT Not available.

and vPvB assessment

12.6. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

#### 12.7. Additional information

#### Estonia Dangerous substances in groundwater Data

Strontium Stannate (SrSnO3) (CAS 12143-34-9) Tin (Sn) 150 UG/L

Tin (Sn) 3 UG/L

Estonia Dangerous substances in soil Data

Strontium Stannate (SrSnO3) (CAS 12143-34-9) Tin (Sn) 10 mg/kg

> Tin (Sn) 300 mg/kg Tin (Sn) 50 mg/kg

### **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

**Residual waste** Dispose of in accordance with local regulations. Empty containers or liners may retain some product

residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

**Disposal** 

Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

methods/information

Special precautions Dispose in accordance with all applicable regulations.

#### **SECTION 14: Transport information**

14.1. - 14.6.: Not regulated as dangerous goods.

**RID** 

14.1. - 14.6.: Not regulated as dangerous goods.

**ADN** 

14.1. - 14.6.: Not regulated as dangerous goods.

**IATA** 

14.1. - 14.6.: Not regulated as dangerous goods.

**IMDG** 

14.1. - 14.6.: Not regulated as dangerous goods.

2AY Version #: 02 Revision date: 15-January-2018 Issue date: 26-May-2015

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

#### **Authorisations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

#### Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

# Other EU regulations

#### Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with EC directives or respective national laws

This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.

**National regulations** Follow national regulation for work with chemical agents.

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

#### **SECTION 16: Other information**

List of abbreviations Information on evaluation

method leading to the classification of mixture Not available. Not applicable.

Disclaimer

Materion Advanced Chemicals Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.

This document has been prepared using data from sources considered to be technically reliable and the information is believed to be correct. Materion makes no warranties, expressed or implied, as to the accuracy of the information contained herein. Materion cannot anticipate all conditions under which this information and its products may be used and the actual conditions of use are beyond its control. The user is responsible to evaluate all available information when using this product for any

particular use and to comply with all Federal, State, Provincial and Local laws, statutes and

regulations.

Material name: Strontium Stannate (SrSnO3)

2AY Version #: 02 Revision date: 15-January-2018 Issue date: 26-May-2015